

## CHAPTER 62B-34 - GENERAL PERMITS FOR ACTIVITIES SEAWARD OF THE COASTAL CONSTRUCTION CONTROL LINE

PART I	GENERAL PROVISIONS
	62B-34.010 Definitions.
	62B-34.020 Purpose.
	62B-34.030 Application Procedures.
	62B-34.040 Application Fees and Information Requirements.
	62B-34.050 General Conditions.
PART II	GENERAL PERMITS
	62B-34.060 Non-Habitable Major Structures and Associated Minor Structures or Activities.
	62B-34.070 Single Family Dwelling and Associated Minor Structures or Activities.
PART III	LEGAL DESCRIPTIONS OF GENERAL PERMIT LINE
	62B-34.100 Nassau County.
	62B-34.110 Duval County.
	62B-34.120 St. Johns County.
	62B-34.130 Flagler County.
	62B-34.140 Volusia County.

### PART I GENERAL PROVISIONS

#### **62B-34.010 Definitions.**

- (1) "Bluff" is a steep cliff or slope, separating the beach from a generally flat upland area of higher elevation.
- (2) "Bluff Height" is the vertical distance between the toe of bluff and the top of bluff.
- (3) "Bureau" is the Bureau of Beaches and Coastal Systems of the Department of Environmental Protection.
- (4) "Certified Armoring" is a manmade structure designed, constructed and maintained to survive the effects of a thirty-year storm and provide protection to existing or proposed upland structures from erosion, wave attack, and current action associated with that event, and certified by a professional engineer registered in the state of Florida to meet the criteria specified in subparagraphs 62B-33.024(4)(a)1 through 4, F.A.C.
- (5) "First Line of Construction" is a reasonably continuous and uniform line formed by the seaward limit of the foundations or exterior walls of habitable major structures in the immediate area, provided those structures have not been unduly affected by erosion. Decks, balconies, non-habitable major structures, minor structures, armoring and other similar structures shall not be used to determine the line of construction.
- (6) "Footprint" is the area of the foundation supporting a structure.
- (7) "General Permit (GP) Line" is the line that defines the seaward limit where General Permits can be issued for activities authorized by this rule chapter, is established pursuant to the provisions of Section 161.053(19), F.S., and is recorded in the official records of the county.
- (8) "Limit of Construction" is the seaward limit of construction authorized by a General Permit.
- (9) "Major Road" includes paved roads designated as public evacuation routes, or paved roads maintained by the state, county or local municipality.
- (10) "Minor Structures" are designed to be expendable, and to minimize resistance to forces associated with high frequency storms and to break away when subjected to such forces, and which are of such size or design as to have a minor impact on the beach and dune system.
- (11) "Non-habitable Major Structures" are structures, which, as a result of design, location, or size could cause an adverse impact to the beach and dune system and are designed primarily for uses other than human occupancy. Typically included within this category are roads, bridges, storm water outfalls, bathhouses, cabanas, decks, swimming pools, and garages.
- (12) "Primary Dune" is a significant dune which has sufficient alongshore continuity to offer protective value to upland property. The primary dune may be separated from the frontal dune by an interdunal trough; however the primary dune may be considered the frontal dune if located immediately landward of the beach.
- (13) "Second Line of Construction" is a reasonably continuous and uniform line formed by the seaward limit of the foundations or exterior walls of habitable major structures situated landward of the structures forming the first line of construction.

(14) "Toe of Bluff" is the location where a distinct change in slope occurs between the beach or berm and the face of the bluff.

(15) "Top of Bluff" is the location where a distinct change in slope occurs between the face of the bluff and the upland area.

(16) "Total Footprint" is the combined area of the footprint of the single-family dwelling, the footprint of any non-habitable major structures and associated minor structures, and all cantilevered areas.

(17) "Vegetation Line" is the seaward most continuous line of native salt tolerant vegetation. If a vegetation line is not discernible on the property, then documented or existing vegetation lines in the area, ground elevations, and distance from the shoreline, shall be used to determine where a continuous line would have formed.

*Specific Authority 161.053 FS. Law Implemented 161.052, 161.053 FS. History— New 3-27-03, Amended 11-21-05.*

#### **62B-34.020 Purpose.**

The purpose of this rule chapter is to implement the provisions of Section 161.053(19), F.S., providing General Permits for activities performed seaward of the Coastal Construction Control Line. Persons wishing to use one or more of the General Permits as set forth in Part II of this rule chapter shall be subject to the notice provisions of subsection 62B-34.030(4), F.A.C., before any activity is conducted as authorized herein. The general conditions provided pursuant to Rule 62B-34.050, F.A.C., shall apply to all of the General Permits issued under this rule chapter. Strict compliance with all of the terms, conditions, requirements, limitations, and restrictions applicable to a desired General Permit under this rule chapter is required to qualify for such a permit.

*Specific Authority 161.053 FS. Law Implemented 161.053(19) FS. History— New 3-27-03, Amended 11-21-05.*

#### **62B-34.030 Application Procedures.**

(1) Any person wishing to use a General Permit shall provide a notice of intent to engage in activities under the General Permit by submitting to the Bureau the appropriate application fee required by Rule 62B-34.040, F.A.C., along with a completed application, using DEP Form 73-101 (Updated 7/05) entitled "Application for a General Permit for Construction or Other Activities Seaward of the Coastal Construction Control Line," which is hereby incorporated by reference. The Bureau must receive the completed application at least thirty (30) days before the applicant begins any work. Copies of the application form may be obtained by contacting the Bureau or by accessing the Department's website at [www.dep.state.fl.us/beaches](http://www.dep.state.fl.us/beaches).

(a) Each application must be accompanied by the appropriate processing fee. The fee shall be paid by check, payable to the Department of Environmental Protection. The fee is non-refundable except as provided in Section 120.60, F.S., and in this rule chapter. An application received without the required fee shall be returned to the applicant.

(b) Upon receipt of an application and the appropriate fee, the permit processing time, pursuant to the requirements of Section 161.053, F.S., and Chapter 62-4, F.A.C., shall begin.

(c) If an applicant submits an application fee in excess of the required fee, the Department shall refund to the applicant the amount received in excess of the required fee.

(2) Projects undertaken without proof of notice to the Bureau shall be considered as being undertaken without a permit and shall be subject to enforcement pursuant to Section 161.121, F.S.

(3) If the Department determines that the proposed activity does not qualify for the General Permit as set forth in this rule chapter, the Department shall deny the application within thirty (30) days of receiving notice of intent. If the Department does not deny the application within thirty (30) days, the applicant may conduct the activity authorized by the General Permit pursuant to the general conditions and other requirements contained in this rule chapter.

(4) Persons wishing to use a General Permit shall provide notice as required by the applicable local building code where the project will be located. If a building code requires no notice, any person wishing to use a General Permit shall, at a minimum, post on the property at least five (5) days prior to the commencement of construction a sign no smaller than 8 ½ inches by 11 inches, with letters no smaller than one-quarter inch, describing the project.

*Specific Authority 161.053 FS. Law Implemented 161.053(19), 161.0535, 161.121 FS. History— New 3-27-03, Amended 11-21-05.*

#### **62B-34.040 Application Fees and Information Requirements.**

(1) The fee to process an application for a General Permit under Rule 62B-34.060, F.A.C., is \$300. The fee to process an application for a General Permit under Rule 62B-34.070, F.A.C., is \$500. The fee shall be in the form

of a check made payable to the Department. Fees assessed pursuant to this rule are non-refundable, except fees received for an activity that is exempt or fee payments in excess of the amount required by this rule chapter.

(2) In order to demonstrate that the proposed project qualifies for the requested General Permit, the completed application required by Rule 62B-34.030, F.A.C., shall include the information below and any additional information specific to the type of General Permit requested as provided in Part II of this rule chapter:

(a) The name, mailing address, and telephone number of the property owner and of any duly authorized agent making the application on behalf of the owner, and the signature of the applicant.

(b) An e-mail address or a fax number of the property owner and of any duly authorized agent making the application on behalf of the owner so the Department can notify the applicant of the agency's decision within thirty (30) days of receiving the notice.

(c) Evidence of ownership including the legal description of the property for which the permit is requested. Evidence of ownership may include a copy of an executed warranty deed bearing evidence of appropriate recordation or a copy of a property tax receipt bearing the name and address of the current owner. If the applicant is not the property owner, the applicant shall complete section 3 on the application form, authorizing the applicant to act as the owner's agent for the purpose of applying for a permit, and to act on behalf of the owner in other matters pertaining to the permit.

(d) Written evidence from the appropriate local governmental agency having jurisdiction over the activity stating that the proposed activity, as submitted to the Bureau, does not contravene local setback requirements or zoning codes.

(e) A statement describing the proposed work, activity, or construction.

(f) A signed and sealed survey of the subject property performed within six (6) months of the permit application date, depicting the Coastal Construction Control Line, the General Permit Line (if established across the property), the nearest two Department reference monuments, and the remainder of the information required under paragraph 62B-33.008(3)(f), F.A.C., and Rule 62B-33.0081, F.A.C.

(g) Two copies of a dimensioned site and grading plan and a cross sectional drawing drawn to a scale no smaller than 1" = 30'. The drawings shall be signed and sealed by an architect, engineer, landscape architect, or surveyor, as appropriate, licensed in the state of Florida, and shall show:

1. The location and dimensions of the property boundaries and rights of way.

2. Site topography, including the 0-foot contour, if applicable.

3. The location of the Coastal Construction Control Line and the General Permit Line (if established across the property).

4. Accurate dimensions and locations of the foundation outlines and exterior walls of any existing structures in the immediate contiguous or adjacent areas that the applicant contends have established a reasonably continuous and uniform first line of construction.

5. The locations of all potential and applicable limits of construction, including: major road, second line of construction, first line of construction, seasonal high water line, 30-year erosion projection, line of mean high water, erosion control line, certified armoring, landward limit of the primary dune structure, top of bluff greater than 15 feet high, and vegetation line.

6. The locations, dimensions, and square footage of any existing construction on the property.

7. The locations and perpendicular distances with respect to the Coastal Construction Control Line of any proposed construction, including the seaward most location of any foundation element, exterior wall, roofline, and deck, and the locations of any stairs providing building access or elevated walkovers to the beach.

8. The locations and volumes of any proposed excavation and fill.

9. All subgrade construction, including pile caps and grade beams, or excavation with elevations referenced to NAVD.

(h) If armoring is used to toll the thirty-year erosion projection, a certification by a professional engineer registered in the state of Florida shall be included with the application. The certification shall state that the armoring:

1. Has been designed, constructed, and maintained to survive the effects of a thirty-year storm,

2. Will provide protection to existing or proposed upland structures from erosion associated with the thirty-year storm event, and

3. Will meet the criteria specified in paragraph 62B-33.024(2)(a), F.A.C.

(i) Two copies of detailed planting plans, including a plant list (with both scientific and common names), the location of proposed plant species, and the location of the existing plant species to be removed. Planting plans shall comply with the requirements set forth in subsection 62B-34.070(5), F.A.C.

(j) Where the proposed activities are landward of a General Permit Line, the applicant is not required to submit information required by subparagraphs 62B-34.040(2)(g)2, 4, and 5, F.A.C.

(k) The Department recognizes that all the informational requirements specified in paragraphs 62B-34.040(2)(f), (g), and (i), F.A.C., may not, due to the project specific circumstances, be applicable or necessary to ensure consistency with the siting criteria of subsections 62B-34.060(2) and 62B-34.070(2), F.A.C. In such cases, the applicant shall, as part of the application, identify those requirements and state the reason why they are inapplicable. The Department shall waive requirements that do not apply.

*Specific Authority 161.053, 161.0535 FS. Law Implemented 161.053, 161.0535 FS. History— New 3-27-03, Amended 11-21-05.*

**62B-34.050 General Conditions.**

(1) The terms, conditions, requirements, limitations, and restrictions set forth in this section are general conditions and are binding upon the permittee for all General Permits in this rule chapter. These conditions are enforceable under Chapter 161, F.S.

(2) Prior to commencing construction activities under this rule chapter, which are authorized by this Bureau, a formal notification from the Bureau must be received authorizing the proposed activity. The notice form, DEP Form 73-102 (Updated 7/05), entitled "General Permit Notice to Proceed" is hereby incorporated by reference.

(3) A copy of the Notice to Proceed and the approved plans shall be conspicuously displayed at the project site for the duration of the activity.

(4) A pre-construction conference shall be held at the site between the contractor, the owner or authorized agent, and a staff representative of the Bureau prior to the initiation of any work permitted under this rule chapter. The purpose of this conference is to establish the manner in which the proposed work will be performed to ensure adequate protection of the beach and dune system and native vegetation. The optimum siting of the construction fence and any walkover shall be determined during the pre-construction conference by the staff representative in order to provide maximum protection to the existing vegetation located on the site. The locations of the proposed structures shall be staked out for the pre-construction conference.

(5) A foundation location certification shall be completed by the applicant, signed by a surveyor licensed in the state of Florida, and submitted to the Bureau immediately following installation of the foundation piles for the most seaward major structure authorized by this General Permit. This certification shall be submitted using DEP Form 73-114B (Updated 9/05) entitled "Foundation Location Certification," which is hereby incorporated by reference. The Department shall perform such verification within seven (7) working days of receipt of the certification. If the Department does not respond to the certification within seven (7) working days then construction may proceed. No further work may proceed until the Department has verified the foundation location information and authorized additional work to proceed.

(6) The permittee shall carry out the construction or activity for which the permit was granted in accordance with the plans and specifications that were approved by the Department as part of the permit. No other construction or activities shall be conducted. No modifications to project size, location, or structural design are authorized.

(7) Permits shall be suspended or revoked for good cause, in accordance with Section 161.053(20), F.S. In addition, a permit shall be suspended, revoked or modified by the Department if shoreline changes occurring subsequent to issuance of the permit render the previously authorized activities inconsistent with Chapter 161, F.S., or Chapter 62B-34, F.A.C.

(8) The assessment of civil fines or issuance of an order to alter or remove any work, or both, may result from work performed that was not authorized in the permit, pursuant to Section 161.054, F.S., and Chapter 62B-54, F.A.C.

(9) The permittee shall conduct the construction or activity authorized under the permit using extreme care to prevent any adverse impacts to the beach and dune system, marine turtles and their nests and nesting habitat, and adjacent properties and structures.

(10) The permittee shall allow any duly authorized member of the staff to enter upon the premises associated with the project authorized by the permit for the purpose of ascertaining compliance with the terms of the permit and with the rules of the Department.

(11) The state of Florida, the Department, or its officers and employees shall in no way be liable for any damage, no matter how occasioned and no matter what the amount, to persons or property which might result from the construction or activity authorized under the permit and from any and all claims and judgments resulting from such damage.

(12) The permittee shall not disturb existing beach and dune topography and vegetation except as expressly authorized in Part II of this rule chapter. Before the project is considered complete, any disturbed topography

or vegetation shall be restored as prescribed in the permit with suitable fill material or revegetated with appropriate beach and dune vegetation.

(13) No construction, operation, transportation, or storage of equipment or materials is authorized seaward of the dune crest or rigid coastal structure.

(14) All fill material placed seaward of the Coastal Construction Control Line shall be sand that is similar to that already existing on the site in both coloration and grain size. All such fill material shall be free of construction debris, rocks, clay, or other foreign matter, and shall be obtained from a source landward of the Coastal Construction Control Line.

(15) To ensure compliance with this rule, all topographic restoration and revegetation work is subject to the approval and acceptance by the Department staff.

(16) No temporary lighting of the construction area is authorized during the marine turtle-nesting season (May 1 through October 31 of each year for all counties except for Brevard, Indian River, St. Lucie, Martin, Palm Beach and Broward. Nesting season for these counties is the period from March 1 through October 31 of each year.).

(17) This permit is issued to a specified property owner and is not valid for any other person.

(18) This General Permit does not eliminate the necessity to obtain any required federal, state, local, and special district authorizations prior to the start of activity authorized by Part II of this rule chapter.

(19) Elevated walkovers that provide access to the beach shall meet the following design criteria:

(a) The decking of the walkover structure shall be elevated a sufficient distance above the existing vegetation to allow for sand build-up and clearance above the vegetation and not exceed 4 feet in width.

(b) The piles for the walkover structure shall not be greater than 4-inch by 4-inch posts and shall not be encased in concrete.

(c) The walkover shall extend at least up to the existing line of vegetation but not farther than 10 feet seaward of the vegetation.

(d) Where armoring exists and no vegetation line exists seaward of the armoring, the walkover shall extend a maximum of 5 feet seaward of the armoring.

(e) The optimum siting of the walkover structure shall be determined by the staff representative during the pre-construction conference to provide maximum protection to the existing dune topography and vegetation located on the site.

(20) The duration for all permits is two years.

(21) Final certification, by an engineer or architect licensed in the state of Florida, shall be provided to the Department within thirty (30) days following completion of the work on major structures. This certification shall state that all locations and elevations specified by the permit have been verified; all major structures are specifically constructed in accordance with Chapter 62B-34, F.A.C.; other construction and activities authorized by the permit have been performed in compliance with the plans and project description approved as a part of the permit, and all conditions of the permit; or shall describe any deviations from the approved plans, project description or permit conditions, and any work not performed. Such certification shall not relieve the permittee of the provision contained in subsection 62B-34.050(6), F.A.C. The final certification shall be submitted using DEP Form 73-115B (Updated 7/05), entitled "Final Certification," which is hereby incorporated by reference.

*Specific Authority 161.053, 161.054 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History— New 3-27-03, Amended 11-21-05.*

## **PART II GENERAL PERMITS**

### **62B-34.060 Non-Habitable Major Structures and Associated Minor Structures or Activities.**

(1) Applicability. The following activities shall be eligible for a General Permit subject to the criteria and conditions set forth in this rule:

(a) New construction of non-habitable major structures. Swimming pools are not eligible for a General Permit pursuant to Section 161.053(19), F.S.

(b) Additions to an existing non-habitable major structure.

(c) Repair or rebuilding of an existing non-habitable major structure.

(d) Minor structures and activities associated with a proposed non-habitable major structure.

(2) Seaward Limit of Construction.

(a) The General Permit Line shall establish the seaward limit of construction if the line is defined in Part III of this rule chapter.

(b) If the General Permit Line is not defined in Part III of this rule chapter, the proposed construction activities shall be situated landward of a major road or the second line of construction.

(c) If the General Permit Line is not defined in Part III of this rule chapter and the proposed construction activities are not situated landward of a major road or the second line of construction, the seaward limit of construction activities allowed under paragraphs 62B-34.060(1)(a) through (d), F.A.C., shall be determined by the following criteria:

1. Construction shall remain a minimum of 25 feet landward of the primary dune feature.
2. Construction shall remain a minimum of 50 feet landward of the top of the bluff, with a bluff height greater than 15 feet.
3. Construction shall remain a minimum of 100 feet landward of the vegetation line, where the profile does not have certified armoring, a primary dune, or a bluff greater than 15 feet high.
4. Construction shall remain a minimum of 250 feet landward of the Erosion Control Line or a minimum of 250 feet landward of the Mean High Water Line, whichever is greater, where conditions contained in this rule subparagraphs 62B-34.060(2)(a)1, 2, and 3, F.A.C., do not exist.
5. No construction shall extend seaward of the first line of construction, except for elevated walkovers that provide access to the beach and that meet the design criteria contained in subsection 62B-34.050(19), F.A.C. If no line of construction exists or can be determined, the proposed activity does not qualify for a General Permit.
6. No construction shall extend seaward of the thirty-year erosion projection, except for elevated walkovers. The thirty-year erosion projection shall be made in accordance with the procedures stipulated in Rule 62B-33.024, F.A.C.
7. No construction shall extend seaward of a point 25 feet landward of the existing armoring, except for elevated walkovers.

(3) Prohibitions and Limitations. Activities in paragraphs 62B-34.060(1)(a) through (d), F.A.C., shall be subject to the following prohibitions and limitations:

(a) Excavation shall be limited to the installation of, or repairs to, subgrade residential service utilities (e.g., water and sewer lines, septic tanks and drainfields, gas lines, and electrical, cable television and telephone cables). Minor and temporary excavation shall be allowed under this General Permit that would not result in the lowering of existing general ground elevations. This does not preclude temporary excavation for the installation of foundations.

(b) New construction of decks and additions to decks shall be limited to a total area of 1,500 square feet in size, except for elevated walkovers providing access to the beach. New or expanded decks shall be sited at or landward of the seaward limit of construction established by subsection 62B-34.060(2), F.A.C.

(c) Except where situated landward of a major road or landward of the second line of construction, new non-habitable major structures, and the combined dimensions of any existing single family dwellings, additions, decks, and other non-habitable major structures shall be limited to the following:

1. A total footprint of 6,300 square feet, and
2. A total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel measured at the maximum shore-parallel coverage of the construction authorized under this rule chapter.

(d) All work authorized under this General Permit shall comply with the turtle protection requirements of subsection 62B-34.070(4), F.A.C.

(e) All landscape work authorized under this General Permit shall comply with the native vegetation protection requirements of subsection 62B-34.070(5), F.A.C.

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History— New 3-27-03, Amended 11-21-05.*

#### **62B-34.070 Single Family Dwelling and Associated Minor Structures or Activities.**

(1) Applicability. The following activities shall be eligible for a General Permit, subject to the criteria and conditions set forth in Chapter 62B-34, F.A.C.:

- (a) New construction of a single-family dwelling.
- (b) Minor structures and activities associated with a proposed single-family dwelling.
- (c) Rebuilding, as defined by Rule 62B-33.002, F.A.C., of a single family dwelling.
- (d) Additions to an existing single family dwelling in the landward or shore-parallel direction, provided the additions do not cause the footprint area and shore-parallel coverage of the combined existing structure and additions to exceed those dimensional limitations set forth in paragraph 62B-34.070(3)(c), F.A.C.
- (e) Additions to an existing single family dwelling in the seaward direction, provided:
  1. The seaward most part of the addition shall be sited at or landward of the seaward limit of construction established by subsection 62B-34.070(2), F.A.C., and
  2. The additions do not cause the footprint area and shore-parallel coverage of the combined existing structure and additions to exceed those dimensional limitations set forth in this rule subsection 62B-34.070(3), F.A.C.

(2) Seaward Limit of Construction.

(a) The General Permit Line shall establish the seaward limit of construction if the line is defined in Part III of this rule chapter.

(b) If the General Permit Line is not defined in Part III of this rule chapter, the proposed construction activities shall be situated landward of a major road or the second line of construction.

(c) If the General Permit Line is not defined in Part III of this rule chapter and the proposed construction activities are not situated landward of a major road or the second line of construction, the seaward limit of construction activities allowed under paragraphs 62B-34.070(1)(a) through 62B-34.070(1)(e), F.A.C., shall be determined by the following criteria:

1. Construction shall remain a minimum of 25 feet landward of the primary dune feature.

2. Construction shall remain a minimum of 50 feet landward of the top of the bluff, with a bluff height greater than 15 feet.

3. Construction shall remain a minimum of 100 feet landward of the vegetation line, where the profile does not have certified armoring, a primary dune, or a bluff greater than 15 feet high.

4. Construction shall remain a minimum of 250 feet landward of the Erosion Control Line or a minimum of 250 feet landward of the Mean High Water Line, whichever is greater, where conditions contained in subparagraphs 62B-34.070(2)(c)1, 2, and 3, F.A.C., do not exist.

5. No construction shall extend seaward of the first line of construction, except for elevated walkovers that provide access to the beach and that meet the design criteria contained in subsection 62B-34.050(19), F.A.C. If no line of construction exists or can be determined, the proposed activity does not qualify for a General Permit.

6. No construction shall extend seaward of the 30-year erosion projection, except for elevated walkovers providing access to the beach. The 30-year erosion projection shall be made in accordance with the procedures stipulated in Rule 62B-33.024, F.A.C.

7. No construction shall extend seaward of a point 25 feet landward of the existing armoring, except for elevated walkovers.

(3) Prohibitions and Limitations. Activities in paragraphs 62B-34.070(1)(a) through (e), F.A.C., shall be subject to the following prohibitions and limitations:

(a) Excavation shall be limited to the installation of or repairs to subgrade residential service utilities (e.g., water and sewer lines, septic tanks and drainfields, gas lines, and electrical, cable television and telephone cables). Minor and temporary excavation shall be allowed that does not result in the lowering of existing general ground elevations. This does not preclude temporary excavation for the installation of foundations.

(b) New construction of decks associated with new or existing single family dwellings shall be limited by this General Permit to a total area of 1,500 square feet, except for elevated walkovers providing access to the beach. New or expanded elevated decks authorized by this General Permit shall be sited landward of the seaward limit of construction established by subsection 62B-34.070(2), F.A.C.

(c) Except where situated landward of a major road or landward of the second line of construction, the total dimensions and coverage of single-family dwellings, additions, and other non-habitable major structures shall be limited to the following:

1. New single-family dwellings and the combined dimensions of other major structures shall be limited to:

a. A total footprint area of 6,300 square feet, and

b. A total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel, measured at the maximum shore-parallel coverage of the construction authorized under this General Permit.

2. Rebuilt single-family dwellings and the combined dimensions of other major structures shall be limited to:

a. A total footprint area less than or equal to the existing footprint, or a total footprint area of 6,300 square feet, and

b. A total shore-parallel coverage equal to or less than the existing, or up to a total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel, measured at the seaward limit of the construction authorized under this General Permit.

3. Additions to existing single-family dwellings shall not exceed the shore-parallel dimensions of the existing single-family dwelling above 65 percent. The combined footprint of the additions, the existing single-family dwelling, and other non-habitable major structures shall not exceed 6,300 square feet.

(4) Turtle Protection Requirements. All work authorized by this General Permit shall meet the following turtle protection requirements:

(a) All windows and glass doors on the seaward and shore-perpendicular sides of any new dwellings or additions shall be tinted to a transmittance value (light transmission from inside to outside) of 45% or less through the use of tinted glass or window film or screens.

(b) The following types of lighting are authorized under this General Permit. Any departure or deviation from these lighting requirements shall constitute a violation of this General Permit.

1. Balcony, deck, and entranceway lights shall be canister down-light fixtures or louvered wall lights that adhere to the following standards:

a. Canister down-light fixtures shall be equipped with black baffles or grates, shall have the light source recessed so that it is not visible from the beach, shall be used with one 480 (or less) lumens output standard incandescent (or equivalent) yellow "bug" bulb, and shall be limited to no more than one fixture per egress.

b. Louvered wall lights shall be mounted 12 inches or less above the adjacent floor or deck, shall be equipped with louvers that completely hide the light source, shall be used with one 480 (or less) lumens output standard incandescent (or equivalent) yellow "bug" bulb, and shall be limited to no more than one fixture per egress.

2. Underhouse lights for unenclosed or partially enclosed parking and building access areas shall be canister fixtures, either mounted on piles or recessed into the ceiling. The fixtures shall be equipped with black baffles, shall have the light source recessed so that it is not visible from the beach, shall be used with one 480 (or less) lumens output standard incandescent (or equivalent) yellow "bug" bulb, and shall be limited to no more than one fixture per 100 square feet of parking or building access area.

3. Landscaping and pathway lights shall be mushroom type fixtures, shall extend no more than 12 inches above the ground, shall be used with 220 (or less) lumens output standard incandescent (or equivalent) bulbs or with 400 (or less) lumens output compact fluorescent (or equivalent) bulbs, shall extend no farther seaward than the house, and shall be limited to one fixture per 8 feet of path length or 1 fixture per 100 square feet of ground area.

(c) No lights shall be permitted on dune walkovers or elevated walkovers to the beach.

(d) No additional lighting shall be authorized.

(e) No temporary lighting of the construction area is authorized at any time during the marine turtle-nesting season.

(5) Native Vegetation Protection Requirements. All work authorized by this General Permit shall meet the following native vegetation protection requirements:

(a) The applicant shall install landscape plants in a way that minimizes impacts to existing native salt-tolerant vegetation.

(b) Any native salt-tolerant vegetation destroyed during construction shall be replaced with plants of the same species or with other native salt-tolerant vegetation suitable for beach and dune stabilization.

(c) All plants installed in beach and coastal areas used to replace vegetation displaced, damaged, or destroyed during construction or otherwise shall be of species native to Florida beaches and dunes in that part of the state, such as sea oats, sea grape, saw palmetto, panic grass, saltmeadow hay cordgrass, seashore saltgrass, and railroad vine.

(d) Except where situated landward of a major road or within the limits of the second line of construction, landscaping activities shall be limited to 10 feet seaward of the authorized structure. No landscaping activity or other removal of native vegetation shall occur seaward of this point under this rule.

(e) Planting of invasive nuisance plants, such as listed in the Florida Exotic Pest Plant Council's 2003 List of Invasive Species – Categories I and II (published May 20, 2003), shall not occur if the planting will result in removal or destruction of existing dune-stabilizing native vegetation or if the planting is to occur on or seaward of the dune system.

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History– New 3-27-03, Amended 11-21-05.*

### **PART III LEGAL DESCRIPTIONS OF GENERAL PERMIT LINE**

#### **62B-34.100 Nassau County.**

The legal description for the Nassau County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded April 6, 1983 in the "Setback Line Book", pages 10 through 16, of the Public Records of Nassau County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (P.R.M.) 74-81-A06

AND RUN THENCE S 77 DEG. 40 MIN. 40 SEC. E A DISTANCE OF 533.381 FEET TO A POINT LOCATED ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL S 06 DEG. 00 MIN. 55 SEC. W A DISTANCE OF 746.37 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:

THENCE S 83 DEG. 59 MIN. 05 SEC. E A DISTANCE OF 56.55 FEET TO A POINT,  
THENCE S 04 DEG. 58 MIN. 11 SEC. W A DISTANCE OF 207.78 FEET TO A POINT,  
THENCE S 01 DEG. 11 MIN. 16 SEC. W A DISTANCE OF 1061.23 FEET TO A POINT,  
THENCE S 01 DEG. 35 MIN. 18 SEC. E A DISTANCE OF 577.22 FEET TO A POINT,  
THENCE S 21 DEG. 10 MIN. 53 SEC. E A DISTANCE OF 171.59 FEET TO A POINT,  
THENCE S 05 DEG. 54 MIN. 39 SEC. W A DISTANCE OF 1252.66 FEET TO A POINT,  
THENCE S 06 DEG. 37 MIN. 04 SEC. W A DISTANCE OF 980.53 FEET TO A POINT,  
THENCE S 06 DEG. 57 MIN. 29 SEC. W A DISTANCE OF 808.96 FEET TO A POINT,  
THENCE S 07 DEG. 23 MIN. 06 SEC. W A DISTANCE OF 956.94 FEET TO A POINT,  
THENCE S 06 DEG. 51 MIN. 39 SEC. W A DISTANCE OF 887.35 FEET TO A POINT,  
THENCE S 07 DEG. 54 MIN. 31 SEC. W A DISTANCE OF 1061.09 FEET TO A POINT,  
THENCE S 08 DEG. 42 MIN. 12 SEC. W A DISTANCE OF 1017.72 FEET TO A POINT,  
THENCE S 08 DEG. 51 MIN. 44 SEC. W A DISTANCE OF 863.31 FEET TO A POINT,  
THENCE S 06 DEG. 43 MIN. 27 SEC. W A DISTANCE OF 939.46 FEET TO A POINT,  
THENCE S 10 DEG. 13 MIN. 12 SEC. W A DISTANCE OF 907.40 FEET TO A POINT,  
THENCE S 09 DEG. 37 MIN. 39 SEC. W A DISTANCE OF 855.04 FEET TO A POINT,  
THENCE S 09 DEG. 33 MIN. 36 SEC. W A DISTANCE OF 385.35 FEET TO A POINT,  
THENCE S 09 DEG. 19 MIN. 38 SEC. W A DISTANCE OF 906.99 FEET TO A POINT,  
THENCE S 06 DEG. 37 MIN. 03 SEC. W A DISTANCE OF 616.10 FEET TO A POINT,  
THENCE S 05 DEG. 30 MIN. 20 SEC. W A DISTANCE OF 166.77 FEET TO A POINT,  
THENCE S 11 DEG. 07 MIN. 29 SEC. W A DISTANCE OF 1031.38 FEET TO A POINT,  
THENCE S 10 DEG. 24 MIN. 19 SEC. W A DISTANCE OF 968.93 FEET TO A POINT,  
THENCE S 11 DEG. 04 MIN. 18 SEC. W A DISTANCE OF 895.67 FEET TO A POINT,  
THENCE S 10 DEG. 57 MIN. 15 SEC. W A DISTANCE OF 694.66 FEET TO A POINT,  
THENCE N 79 DEG. 46 MIN. 23 SEC. W A DISTANCE OF 52.24 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History– New 11-21-05.*

**62B-34.110 Duval County.**

The legal description for the Duval County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded July 23, 1992 in "Map Book C", pages 72 through 72H, of the Public Records of Duval County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RECOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 72-81-A15 AND RUN THENCE S 79 DEG. 00 MIN. 56 SEC. E A DISTANCE OF 321.68 FEET TO A POINT ON THE CCCL; THENCE ALONG SAID CCCL S 02 DEG. 03 MIN. 26 SEC. E A DISTANCE OF 975.99 FEET TO A POINT; THENCE S 01 DEG. 48 MIN. 53 SEC. E A DISTANCE OF 885.54 FEET TO A POINT; THENCE S 04 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 794.20 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID CCCL RUN:

THENCE N 85 DEG. 39 MIN. 37 SEC. E A DISTANCE OF 33.00 FEET TO A POINT;  
THENCE S 08 DEG. 33 MIN. 48 SEC. E A DISTANCE OF 261.92 FEET TO A POINT;  
THENCE S 03 DEG. 18 MIN. 31 SEC. E A DISTANCE OF 814.36 FEET TO A POINT;  
THENCE S 05 DEG. 43 MIN. 41 SEC. E A DISTANCE OF 971.85 FEET TO A POINT;  
THENCE S 04 DEG. 51 MIN. 24 SEC. E A DISTANCE OF 921.31 FEET TO A POINT;  
THENCE S 05 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 969.73 FEET TO A POINT;  
THENCE S 06 DEG. 15 MIN. 49 SEC. E A DISTANCE OF 989.91 FEET TO A POINT;  
THENCE S 05 DEG. 40 MIN. 39 SEC. E A DISTANCE OF 1031.06 FEET TO A POINT;  
THENCE S 05 DEG. 02 MIN. 53 SEC. E A DISTANCE OF 920.57 FEET TO A POINT;  
THENCE S 04 DEG. 42 MIN. 26 SEC. E A DISTANCE OF 926.12 FEET TO A POINT;

THENCE S 04 DEG. 26 MIN. 43 SEC. E A DISTANCE OF 941.83 FEET TO A POINT;  
 THENCE S 04 DEG. 53 MIN. 07 SEC. E A DISTANCE OF 1056.84 FEET TO A POINT;  
 THENCE S 02 DEG. 49 MIN. 10 SEC. E A DISTANCE OF 935.13 FEET TO A POINT;  
 THENCE S 06 DEG. 38 MIN. 39 SEC. E A DISTANCE OF 916.15 FEET TO A POINT;  
 THENCE S 06 DEG. 29 MIN. 55 SEC. E A DISTANCE OF 918.90 FEET TO A POINT;  
 THENCE S 06 DEG. 40 MIN. 28 SEC. E A DISTANCE OF 946.41 FEET TO A POINT;  
 THENCE N 80 DEG. 54 MIN. 35 SEC. E A DISTANCE OF 25.32 FEET TO A POINT;  
 THENCE S 09 DEG. 23 MIN. 57 SEC. E A DISTANCE OF 894.00 FEET TO A POINT;  
 THENCE S 07 DEG. 42 MIN. 19 SEC. E A DISTANCE OF 991.96 FEET TO A POINT;  
 THENCE S 08 DEG. 23 MIN. 20 SEC. E A DISTANCE OF 939.05 FEET TO A POINT;  
 THENCE S 08 DEG. 24 MIN. 56 SEC. E A DISTANCE OF 908.78 FEET TO A POINT;  
 THENCE S 08 DEG. 12 MIN. 19 SEC. E A DISTANCE OF 1079.05 FEET TO A POINT;  
 THENCE S 08 DEG. 33 MIN. 56 SEC. E A DISTANCE OF 892.96 FEET TO A POINT;  
 THENCE S 08 DEG. 19 MIN. 32 SEC. E A DISTANCE OF 994.48 FEET TO A POINT;  
 THENCE S 08 DEG. 32 MIN. 48 SEC. E A DISTANCE OF 894.94 FEET TO A POINT;  
 THENCE S 09 DEG. 30 MIN. 03 SEC. E A DISTANCE OF 981.46 FEET TO A POINT;  
 THENCE S 09 DEG. 31 MIN. 10 SEC. E A DISTANCE OF 991.66 FEET TO A POINT;  
 THENCE S 09 DEG. 32 MIN. 22 SEC. E A DISTANCE OF 977.52 FEET TO A POINT;  
 THENCE S 09 DEG. 37 MIN. 04 SEC. E A DISTANCE OF 969.63 FEET TO A POINT;  
 THENCE S 09 DEG. 41 MIN. 15 SEC. E A DISTANCE OF 1045.91 FEET TO A POINT;  
 THENCE S 09 DEG. 53 MIN. 06 SEC. E A DISTANCE OF 1025.22 FEET TO A POINT;  
 THENCE S 11 DEG. 06 MIN. 06 SEC. E A DISTANCE OF 971.17 FEET TO A POINT;  
 THENCE S 11 DEG. 05 MIN. 29 SEC. E A DISTANCE OF 925.28 FEET TO A POINT;  
 THENCE S 11 DEG. 37 MIN. 55 SEC. E A DISTANCE OF 1011.78 FEET TO A POINT;  
 THENCE S 12 DEG. 07 MIN. 34 SEC. E A DISTANCE OF 894.97 FEET TO A POINT;  
 THENCE S 11 DEG. 01 MIN. 03 SEC. E A DISTANCE OF 999.42 FEET TO A POINT;  
 THENCE S 10 DEG. 58 MIN. 56 SEC. E A DISTANCE OF 1028.84 FEET TO A POINT;  
 THENCE S 10 DEG. 46 MIN. 32 SEC. E A DISTANCE OF 925.32 FEET TO A POINT;  
 THENCE S 09 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 270.77 FEET TO A POINT;  
 THENCE S 80 DEG. 32 MIN. 16 SEC. W A DISTANCE OF 24.33 FEET TO A POINT;  
 THENCE S 09 DEG. 32 MIN. 28 SEC. E A DISTANCE OF 597.26 FEET TO A POINT;  
 THENCE S 11 DEG. 05 MIN. 22 SEC. E A DISTANCE OF 1019.03 FEET TO A POINT;  
 THENCE S 11 DEG. 03 MIN. 15 SEC. E TO A POINT LYING ON THE DUVAL- ST. JOHNS COUNTY LINE; THENCE  
 RUN WESTERLY ALONG SAID DUVAL- ST. JOHNS COUNTY LINE TO A POINT LOCATED ON THE  
 AFOREMENTIONED CCCL, SAID POINT BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED  
 GENERAL PERMIT LINE.

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History– New 11-21-05.*

**62B-34.120 St. Johns County.**

The legal description for the St. Johns County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded January 28, 1988 in the "CCCL Book 13B", pages 1 through 15, of the Public Records of St. Johns County, Florida, said General Permit Line being more particularly described as follows:

**NORTH SEGMENT:**

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA  
 DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 78-79-A38  
 AND RUN THENCE S 23 DEG. 35 MIN. 12 SEC. E A DISTANCE OF 83.35 FEET TO A POINT LOCATED ON THE  
 ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 18 DEG. 35 MIN. 05 SEC. E A DISTANCE OF  
 1086.59 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED  
 GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:  
 THENCE N 70 DEG. 39 MIN. 52 SEC. E A DISTANCE OF 36.41 FEET,  
 THENCE S 22 DEG. 32 MIN. 25 SEC. E A DISTANCE OF 1118.48 FEET,  
 THENCE S 21 DEG. 49 MIN. 14 SEC. E A DISTANCE OF 1113.80 FEET,  
 THENCE S 21 DEG. 13 MIN. 13 SEC. E A DISTANCE OF 1080.25 FEET,  
 THENCE S 21 DEG. 12 MIN. 28 SEC. E A DISTANCE OF 1111.26 FEET,

THENCE S 21 DEG. 05 MIN. 48 SEC. E A DISTANCE OF 347.28 FEET,  
THENCE S 59 DEG. 04 MIN. 06 SEC. W TO THE MEAN HIGH WATER OF ST. AUGUSTINE INLET AND POINT OF  
TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.

SOUTH SEGMENT:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA  
DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 78-86-A45A  
AND RUN THENCE N 40 DEG. 10 MIN. 19 SEC. W A DISTANCE OF 189.59 FEET TO A POINT LOCATED ON THE  
ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 11 DEG. 41 MIN. 56 SEC. E A DISTANCE OF  
184.02 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED  
GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:

THENCE S 89 DEG. 54 MIN. 17 SEC. E A DISTANCE OF 458.75 FEET TO A POINT,  
THENCE S 00 DEG. 05 MIN. 43 SEC. W A DISTANCE OF 1802.00 FEET TO A POINT,  
THENCE S 02 DEG. 13 MIN. 57 SEC. W A DISTANCE OF 1026.78 FEET TO A POINT,  
THENCE S 02 DEG. 00 MIN. 27 SEC. E A DISTANCE OF 1027.63 FEET TO A POINT,  
THENCE S 00 DEG. 55 MIN. 50 SEC. E A DISTANCE OF 985.13 FEET TO A POINT,  
THENCE S 01 DEG. 10 MIN. 42 SEC. W A DISTANCE OF 1021.22 FEET TO A POINT,  
THENCE S 05 DEG. 57 MIN. 06 SEC. E A DISTANCE OF 993.35 FEET TO A POINT,  
THENCE S 05 DEG. 13 MIN. 32 SEC. E A DISTANCE OF 1018.64 FEET TO A POINT,  
THENCE S 83 DEG. 43 MIN. 19 SEC. W A DISTANCE OF 91.14 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE POINT OF TERMINUS OF  
THE HEREIN DESCRIBED GENERAL PERMIT LINE.

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS. History— New 11-21-05.*

#### **62B-34.130 Flagler County.**

The legal description for the Flagler County General Permit Line is based on the Official Map of Record of the Coastal  
Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded April  
14, 1988 in the "CCCL Book 28", pages 5 through 12, of the Public Records of Flagler County, Florida, said General  
Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA  
DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 73-77-A18  
AND RUN THENCE N 13 DEG. 13 MIN. 05 SEC. W A DISTANCE OF 573.32 FEET TO A POINT LOCATED ON THE  
ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL S 22 DEG. 28 MIN. 12 SEC. E A DISTANCE OF  
992.17 FEET, THENCE S 22 DEG. 12 MIN. 35 SEC. E A DISTANCE OF 965.05 FEET TO A POINT, THENCE S 22  
DEG. 05 MIN. 38 SEC. E A DISTANCE OF 944.54 FEET TO A POINT, SAID POINT BEING THE POINT OF  
BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:

THENCE N 67 DEG. 37 MIN. 45 SEC. E A DISTANCE OF 95.27 FEET TO A POINT,  
THENCE S 23 DEG. 01 MIN. 08 SEC. E A DISTANCE OF 1009.27 FEET TO A POINT,  
THENCE S 23 DEG. 42 MIN. 55 SEC. E A DISTANCE OF 917.48 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 59 SEC. E A DISTANCE OF 890.52 FEET TO A POINT,  
THENCE S 23 DEG. 50 MIN. 00 SEC. E A DISTANCE OF 450.41 FEET TO A POINT,  
THENCE S 22 DEG. 24 MIN. 40 SEC. E A DISTANCE OF 802.62 FEET TO A POINT,  
THENCE S 23 DEG. 55 MIN. 22 SEC. E A DISTANCE OF 1028.34 FEET TO A POINT,  
THENCE S 23 DEG. 52 MIN. 53 SEC. E A DISTANCE OF 859.59 FEET TO A POINT,  
THENCE S 23 DEG. 12 MIN. 32 SEC. E A DISTANCE OF 725.73 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 23 SEC. E A DISTANCE OF 1094.83 FEET TO A POINT,  
THENCE S 22 DEG. 55 MIN. 56 SEC. E A DISTANCE OF 1101.02 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 17 SEC. E A DISTANCE OF 784.46 FEET TO A POINT,  
THENCE S 23 DEG. 52 MIN. 51 SEC. E A DISTANCE OF 926.30 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 09 SEC. E A DISTANCE OF 994.55 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 09 SEC. E A DISTANCE OF 994.55 FEET TO A POINT,  
THENCE S 24 DEG. 26 MIN. 38 SEC. E A DISTANCE OF 882.06 FEET TO A POINT,  
THENCE S 23 DEG. 11 MIN. 28 SEC. E A DISTANCE OF 1003.05 FEET TO A POINT,  
THENCE S 27 DEG. 26 MIN. 01 SEC. E A DISTANCE OF 944.18 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 29 SEC. E A DISTANCE OF 917.07 FEET TO A POINT,  
THENCE S 23 DEG. 13 MIN. 38 SEC. E A DISTANCE OF 1052.29 FEET TO A POINT,

THENCE S 23 DEG. 09 MIN. 52 SEC. E A DISTANCE OF 882.12 FEET TO A POINT,  
THENCE S 23 DEG. 03 MIN. 01 SEC. E A DISTANCE OF 1065.03 FEET TO A POINT,  
THENCE S 23 DEG. 12 MIN. 23 SEC. E A DISTANCE OF 961.82 FEET TO A POINT,  
THENCE S 22 DEG. 08 MIN. 28 SEC. E A DISTANCE OF 939.26 FEET TO A POINT,  
THENCE S 22 DEG. 15 MIN. 33 SEC. E A DISTANCE OF 953.02 FEET TO A POINT,  
THENCE S 22 DEG. 46 MIN. 41 SEC. E A DISTANCE OF 947.93 FEET TO A POINT,  
THENCE S 23 DEG. 36 MIN. 43 SEC. E A DISTANCE OF 946.22 FEET TO A POINT,  
THENCE S 24 DEG. 12 MIN. 32 SEC. E A DISTANCE OF 968.14 FEET TO A POINT,  
THENCE S 23 DEG. 17 MIN. 02 SEC. E A DISTANCE OF 968.91 FEET TO A POINT,  
THENCE S 22 DEG. 50 MIN. 01 SEC. E A DISTANCE OF 968.93 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 01 SEC. E A DISTANCE OF 958.41 FEET TO A POINT,  
THENCE S 22 DEG. 59 MIN. 56 SEC. E A DISTANCE OF 941.87 FEET TO A POINT,  
THENCE S 23 DEG. 08 MIN. 36 SEC. E A DISTANCE OF 951.58 FEET TO A POINT,  
THENCE S 22 DEG. 38 MIN. 15 SEC. E A DISTANCE OF 1005.46 FEET TO A POINT,  
THENCE S 22 DEG. 26 MIN. 57 SEC. E A DISTANCE OF 903.47 FEET TO A POINT,  
THENCE S 22 DEG. 09 MIN. 25 SEC. E A DISTANCE OF 1047.34 FEET TO A POINT,  
THENCE S 22 DEG. 33 MIN. 14 SEC. E A DISTANCE OF 735.23 FEET TO A POINT,  
THENCE S 22 DEG. 38 MIN. 18 SEC. E A DISTANCE OF 953.46 FEET TO A POINT,  
THENCE S 22 DEG. 10 MIN. 14 SEC. E A DISTANCE OF 951.34 FEET TO A POINT,  
THENCE S 21 DEG. 47 MIN. 22 SEC. E A DISTANCE OF 886.32 FEET TO A POINT,  
THENCE S 20 DEG. 59 MIN. 12 SEC. E A DISTANCE OF 809.71 FEET TO A POINT,  
THENCE S 20 DEG. 54 MIN. 29 SEC. E A DISTANCE OF 952.73 FEET TO A POINT,  
THENCE S 21 DEG. 14 MIN. 27 SEC. E A DISTANCE OF 930.19 FEET TO A POINT,  
THENCE S 21 DEG. 21 MIN. 13 SEC. E A DISTANCE OF 950.23 FEET TO A POINT,  
THENCE S 21 DEG. 18 MIN. 01 SEC. E A DISTANCE OF 955.25 FEET TO A POINT,  
THENCE S 20 DEG. 31 MIN. 14 SEC. E A DISTANCE OF 947.10 FEET TO A POINT,  
THENCE S 18 DEG. 39 MIN. 55 SEC. E A DISTANCE OF 943.63 FEET TO A POINT,  
THENCE S 21 DEG. 36 MIN. 57 SEC. E A DISTANCE OF 860.52 FEET TO A POINT,  
THENCE S 21 DEG. 05 MIN. 18 SEC. E A DISTANCE OF 969.96 FEET TO A POINT,  
THENCE S 23 DEG. 47 MIN. 02 SEC. E A DISTANCE OF 976.97 FEET TO A POINT,  
THENCE S 22 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 951.00 FEET TO A POINT,  
THENCE S 22 DEG. 02 MIN. 10 SEC. E A DISTANCE OF 951.51 FEET TO A POINT,  
THENCE S 21 DEG. 45 MIN. 26 SEC. E TO THE INTERSECTION OF THE FLAGLER-VOLUSIA COUNTY LINE,  
THENCE RUN WESTERLY ALONG THE FLAGLER-VOLUSIA COUNTY LINE TO A POINT LOCATED ON THE  
CCCL, SAID POINT BEING THE TERMINUS POINT OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.  
*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), and (22), 161.054 FS. History— New 11-21-05.*

**62B-34.140 Volusia County.**

The legal description for the Volusia County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded January 24, 1991 in "Map of Record CCCL Book 30", page 20, of the Public Records of Volusia County, Florida, said General Permit Line being more particularly described as follows:

**NORTH SEGMENT:**

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 79-78-A80-2 (1988) AND RUN THENCE N 26 DEG. 43 MIN. 16 SEC. W A DISTANCE OF 576.87 FEET TO A POINT LOCATED ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 21 DEG. 53 MIN. 37 SEC. E A DISTANCE OF 961.17 FEET TO A POINT, THENCE S 21 DEG. 56 MIN. 48 SEC. E 950.59 FEET TO A POINT, THENCE S 21 DEG. 45 MIN. 20 SEC. E 98.90 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:  
THENCE N 68 DEG. 14 MIN. 40 SEC. E A DISTANCE OF 78.47 FEET TO A POINT,  
THENCE S 21 DEG. 42 MIN. 04 SEC. E A DISTANCE OF 839.96 FEET TO A POINT,  
THENCE S 21 DEG. 37 MIN. 31 SEC. E A DISTANCE OF 419.48 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 549.35 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 941.58 FEET TO A POINT,

THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 960.61 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 909.85 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 920.99 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 942.00 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 00 SEC. E A DISTANCE OF 963.61 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 166.86 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 812.59 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 936.66 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 944.05 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 946.33 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 402.53 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 547.96 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 903.15 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 21 SEC. E A DISTANCE OF 970.78 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 942.66 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 945.69 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 958.45 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 931.19 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 947.79 FEET TO A POINT,  
THENCE S 21 DEG. 56 MIN. 25 SEC. E A DISTANCE OF 929.63 FEET TO A POINT,  
THENCE S 21 DEG. 52 MIN. 20 SEC. E A DISTANCE OF 959.19 FEET TO A POINT,  
THENCE S 21 DEG. 52 MIN. 20 SEC. E A DISTANCE OF 941.86 FEET TO A POINT,  
THENCE S 20 DEG. 02 MIN. 59 SEC. E A DISTANCE OF 941.64 FEET TO A POINT,  
THENCE S 20 DEG. 43 MIN. 46 SEC. E A DISTANCE OF 940.04 FEET TO A POINT,  
THENCE S 22 DEG. 40 MIN. 02 SEC. E A DISTANCE OF 1002.45 FEET TO A POINT,  
THENCE S 22 DEG. 30 MIN. 41 SEC. E A DISTANCE OF 899.90 FEET TO A POINT,  
THENCE S 22 DEG. 23 MIN. 04 SEC. E A DISTANCE OF 953.86 FEET TO A POINT,  
THENCE S 22 DEG. 10 MIN. 54 SEC. E A DISTANCE OF 642.78 FEET TO A POINT,  
THENCE S 21 DEG. 57 MIN. 02 SEC. E A DISTANCE OF 1075.84 FEET TO A POINT,  
THENCE S 21 DEG. 39 MIN. 02 SEC. E A DISTANCE OF 424.06 FEET TO A POINT,  
THENCE S 21 DEG. 33 MIN. 19 SEC. E A DISTANCE OF 608.32 FEET TO A POINT,  
THENCE N 89 DEG. 37 MIN. 04 SEC. E A DISTANCE OF 41.36 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 55 SEC. E A DISTANCE OF 989.50 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 55 SEC. E A DISTANCE OF 461.26 FEET TO A POINT,  
THENCE S 65 DEG. 56 MIN. 27 SEC. W A DISTANCE OF 24.00 FEET TO A POINT,  
THENCE S 22 DEG. 56 MIN. 46 SEC. E A DISTANCE OF 520.28 FEET TO A POINT,  
THENCE S 22 DEG. 54 MIN. 46 SEC. E A DISTANCE OF 547.65 FEET TO A POINT,  
THENCE S 23 DEG. 18 MIN. 39 SEC. E A DISTANCE OF 408.14 FEET TO A POINT,  
THENCE S 23 DEG. 05 MIN. 44 SEC. E A DISTANCE OF 544.65 FEET TO A POINT,  
THENCE S 23 DEG. 06 MIN. 40 SEC. E A DISTANCE OF 371.94 FEET TO A POINT,  
THENCE S 23 DEG. 05 MIN. 40 SEC. E A DISTANCE OF 610.37 FEET TO A POINT,  
THENCE S 23 DEG. 28 MIN. 41 SEC. E A DISTANCE OF 368.18 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 35 SEC. E A DISTANCE OF 928.85 FEET TO A POINT,  
THENCE S 24 DEG. 30 MIN. 54 SEC. E A DISTANCE OF 585.09 FEET TO A POINT,  
THENCE S 24 DEG. 09 MIN. 44 SEC. E A DISTANCE OF 417.32 FEET TO A POINT,  
THENCE S 21 DEG. 47 MIN. 36 SEC. E A DISTANCE OF 653.48 FEET TO A POINT,  
THENCE S 21 DEG. 56 MIN. 50 SEC. E A DISTANCE OF 376.86 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 37 SEC. E A DISTANCE OF 438.93 FEET TO A POINT,  
THENCE S 23 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 373.49 FEET TO A POINT,  
THENCE S 22 DEG. 35 MIN. 24 SEC. E A DISTANCE OF 560.94 FEET TO A POINT,  
THENCE S 22 DEG. 37 MIN. 16 SEC. E A DISTANCE OF 390.13 FEET TO A POINT,  
THENCE S 24 DEG. 08 MIN. 37 SEC. E A DISTANCE OF 846.61 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 56 SEC. E A DISTANCE OF 1105.66 FEET TO A POINT,  
THENCE S 21 DEG. 16 MIN. 41 SEC. E A DISTANCE OF 886.24 FEET TO A POINT,  
THENCE S 24 DEG. 07 MIN. 40 SEC. E A DISTANCE OF 889.60 FEET TO A POINT,  
THENCE S 24 DEG. 13 MIN. 50 SEC. E A DISTANCE OF 1062.39 FEET TO A POINT,

THENCE S 23 DEG. 39 MIN. 15 SEC. E A DISTANCE OF 942.65 FEET TO A POINT,  
THENCE S 22 DEG. 47 MIN. 14 SEC. E A DISTANCE OF 944.73 FEET TO A POINT,  
THENCE S 22 DEG. 52 MIN. 43 SEC. E A DISTANCE OF 958.14 FEET TO A POINT,  
THENCE S 24 DEG. 05 MIN. 08 SEC. E A DISTANCE OF 1066.79 FEET TO A POINT,  
THENCE S 22 DEG. 53 MIN. 50 SEC. E A DISTANCE OF 881.56 FEET TO A POINT,  
THENCE S 23 DEG. 35 MIN. 31 SEC. E A DISTANCE OF 957.77 FEET TO A POINT,  
THENCE S 23 DEG. 51 MIN. 37 SEC. E A DISTANCE OF 951.41 FEET TO A POINT,  
THENCE S 23 DEG. 09 MIN. 21 SEC. E A DISTANCE OF 849.06 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 25 SEC. E A DISTANCE OF 550.71 FEET TO A POINT,  
THENCE S 23 DEG. 22 MIN. 27 SEC. E A DISTANCE OF 402.42 FEET TO A POINT,  
THENCE S 22 DEG. 49 MIN. 20 SEC. E A DISTANCE OF 1023.96 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 20 SEC. E A DISTANCE OF 913.89 FEET TO A POINT,  
THENCE S 22 DEG. 58 MIN. 50 SEC. E A DISTANCE OF 913.65 FEET TO A POINT,  
THENCE S 24 DEG. 32 MIN. 55 SEC. E A DISTANCE OF 71.53 FEET TO A POINT,  
THENCE S 24 DEG. 30 MIN. 30 SEC. E A DISTANCE OF 759.45 FEET TO A POINT,  
THENCE S 22 DEG. 58 MIN. 06 SEC. E A DISTANCE OF 1121.56 FEET TO A POINT,  
THENCE S 23 DEG. 07 MIN. 06 SEC. E A DISTANCE OF 941.66 FEET TO A POINT,  
THENCE S 23 DEG. 25 MIN. 50 SEC. E A DISTANCE OF 1000.01 FEET TO A POINT,  
THENCE S 20 DEG. 46 MIN. 37 SEC. E A DISTANCE OF 1015.25 FEET TO A POINT,  
THENCE S 24 DEG. 38 MIN. 05 SEC. E A DISTANCE OF 1002.64 FEET TO A POINT,  
THENCE S 26 DEG. 36 MIN. 13 SEC. E A DISTANCE OF 231.15 FEET TO A POINT,  
THENCE S 22 DEG. 30 MIN. 06 SEC. E A DISTANCE OF 732.70 FEET TO A POINT,  
THENCE S 26 DEG. 27 MIN. 15 SEC. E A DISTANCE OF 939.76 FEET TO A POINT,  
THENCE S 25 DEG. 02 MIN. 49 SEC. E A DISTANCE OF 1208.95 FEET TO A POINT,  
THENCE S 21 DEG. 38 MIN. 02 SEC. E A DISTANCE OF 762.29 FEET TO A POINT,  
THENCE S 23 DEG. 49 MIN. 25 SEC. E A DISTANCE OF 859.53 FEET TO A POINT,  
THENCE S 22 DEG. 12 MIN. 41 SEC. E A DISTANCE OF 840.08 FEET TO A POINT,  
THENCE S 21 DEG. 26 MIN. 36 SEC. E A DISTANCE OF 912.37 FEET TO A POINT,  
THENCE S 22 DEG. 05 MIN. 28 SEC. E A DISTANCE OF 1046.16 FEET TO A POINT,  
THENCE S 22 DEG. 50 MIN. 33 SEC. E A DISTANCE OF 968.86 FEET TO A POINT,  
THENCE S 20 DEG. 48 MIN. 29 SEC. E A DISTANCE OF 843.61 FEET TO A POINT,  
THENCE S 23 DEG. 27 MIN. 53 SEC. E A DISTANCE OF 950.17 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 44 SEC. E A DISTANCE OF 787.67 FEET TO A POINT,  
THENCE S 23 DEG. 31 MIN. 52 SEC. E A DISTANCE OF 905.59 FEET TO A POINT,  
THENCE S 23 DEG. 50 MIN. 45 SEC. E A DISTANCE OF 1014.88 FEET TO A POINT,  
THENCE S 24 DEG. 43 MIN. 28 SEC. E A DISTANCE OF 977.67 FEET TO A POINT,  
THENCE S 23 DEG. 55 MIN. 26 SEC. E A DISTANCE OF 959.55 FEET TO A POINT,  
THENCE S 24 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 892.74 FEET TO A POINT,  
THENCE S 24 DEG. 37 MIN. 20 SEC. E A DISTANCE OF 1005.94 FEET TO A POINT,  
THENCE S 24 DEG. 36 MIN. 07 SEC. E A DISTANCE OF 929.64 FEET TO A POINT,  
THENCE S 24 DEG. 02 MIN. 22 SEC. E A DISTANCE OF 940.79 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 43 SEC. E A DISTANCE OF 847.73 FEET TO A POINT,  
THENCE S 23 DEG. 28 MIN. 09 SEC. E A DISTANCE OF 1099.63 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 46 SEC. E A DISTANCE OF 932.78 FEET TO A POINT,  
THENCE S 24 DEG. 39 MIN. 31 SEC. E A DISTANCE OF 648.40 FEET TO A POINT,  
THENCE S 63 DEG. 44 MIN. 26 SEC. W A DISTANCE OF 44.27 FEET TO A POINT,  
THENCE S 24 DEG. 34 MIN. 46 SEC. E A DISTANCE OF 410.63 FEET TO A POINT,  
THENCE S 25 DEG. 16 MIN. 06 SEC. E A DISTANCE OF 966.86 FEET TO A POINT,  
THENCE S 24 DEG. 21 MIN. 29 SEC. E A DISTANCE OF 996.09 FEET TO A POINT,  
THENCE S 25 DEG. 06 MIN. 33 SEC. E A DISTANCE OF 231.32 FEET TO A POINT,  
THENCE N 62 DEG. 17 MIN. 57 SEC. E A DISTANCE OF 79.48 FEET TO A POINT,  
THENCE S 24 DEG. 09 MIN. 50 SEC. E A DISTANCE OF 722.11 FEET TO A POINT,  
THENCE S 25 DEG. 48 MIN. 07 SEC. E A DISTANCE OF 966.19 FEET TO A POINT,  
THENCE S 25 DEG. 09 MIN. 48 SEC. E A DISTANCE OF 993.55 FEET TO A POINT,  
THENCE S 24 DEG. 32 MIN. 41 SEC. E A DISTANCE OF 1037.42 FEET TO A POINT,  
THENCE S 25 DEG. 56 MIN. 04 SEC. E A DISTANCE OF 841.94 FEET TO A POINT,

THENCE S 25 DEG. 14 MIN. 47 SEC. E A DISTANCE OF 899.62 FEET TO A POINT,  
THENCE S 25 DEG. 24 MIN. 36 SEC. E A DISTANCE OF 936.80 FEET TO A POINT,  
THENCE S 24 DEG. 38 MIN. 09 SEC. E A DISTANCE OF 963.79 FEET TO A POINT,  
THENCE S 26 DEG. 03 MIN. 21 SEC. E A DISTANCE OF 1426.34 FEET TO A POINT,  
THENCE S 25 DEG. 43 MIN. 49 SEC. E A DISTANCE OF 593.13 FEET TO A POINT,  
THENCE S 26 DEG. 02 MIN. 54 SEC. E A DISTANCE OF 886.66 FEET TO A POINT,  
THENCE S 25 DEG. 12 MIN. 34 SEC. E A DISTANCE OF 1030.27 FEET TO A POINT,  
THENCE S 26 DEG. 37 MIN. 47 SEC. E A DISTANCE OF 805.38 FEET TO A POINT,  
THENCE S 24 DEG. 57 MIN. 43 SEC. E A DISTANCE OF 1092.17 FEET TO A POINT,  
THENCE S 24 DEG. 08 MIN. 25 SEC. E A DISTANCE OF 848.60 FEET TO A POINT,  
THENCE S 25 DEG. 51 MIN. 01 SEC. E A DISTANCE OF 923.68 FEET TO A POINT,  
THENCE S 26 DEG. 34 MIN. 10 SEC. E A DISTANCE OF 886.07 FEET TO A POINT,  
THENCE S 26 DEG. 57 MIN. 21 SEC. E A DISTANCE OF 1039.29 FEET TO A POINT,  
THENCE S 27 DEG. 20 MIN. 02 SEC. E A DISTANCE OF 995.02 FEET TO A POINT,  
THENCE S 26 DEG. 32 MIN. 13 SEC. E A DISTANCE OF 957.04 FEET TO A POINT,  
THENCE S 28 DEG. 06 MIN. 32 SEC. E A DISTANCE OF 920.78 FEET TO A POINT,  
THENCE S 28 DEG. 35 MIN. 07 SEC. E A DISTANCE OF 963.46 FEET TO A POINT,  
THENCE S 28 DEG. 18 MIN. 30 SEC. E A DISTANCE OF 946.63 FEET TO A POINT,  
THENCE S 28 DEG. 27 MIN. 13 SEC. E A DISTANCE OF 955.71 FEET TO A POINT,  
THENCE S 28 DEG. 30 MIN. 55 SEC. E A DISTANCE OF 51.24 FEET TO A POINT,  
THENCE S 63 DEG. 26 MIN. 06 SEC. W A DISTANCE OF 77.82 FEET TO A POINT,  
THENCE S 30 DEG. 04 MIN. 00 SEC. E A DISTANCE OF 1082.48 FEET TO A POINT,  
THENCE N 64 DEG. 34 MIN. 04 SEC. E A DISTANCE OF 62.07 FEET TO A POINT,  
THENCE S 28 DEG. 08 MIN. 14 SEC. E A DISTANCE OF 841.08 FEET TO A POINT,  
THENCE S 29 DEG. 01 MIN. 16 SEC. E A DISTANCE OF 929.71 FEET TO A POINT,  
THENCE S 29 DEG. 49 MIN. 53 SEC. E A DISTANCE OF 956.45 FEET TO A POINT,  
THENCE S 29 DEG. 43 MIN. 18 SEC. E A DISTANCE OF 937.83 FEET TO A POINT,  
THENCE S 32 DEG. 19 MIN. 34 SEC. E A DISTANCE OF 950.37 FEET TO A POINT,  
THENCE S 31 DEG. 28 MIN. 42 SEC. E A DISTANCE OF 956.36 FEET TO A POINT,  
THENCE S 32 DEG. 45 MIN. 52 SEC. E A DISTANCE OF 913.76 FEET TO A POINT,  
THENCE S 32 DEG. 29 MIN. 52 SEC. E A DISTANCE OF 922.28 FEET TO A POINT,  
THENCE S 33 DEG. 43 MIN. 42 SEC. E A DISTANCE OF 807.79 FEET TO A POINT,  
THENCE S 34 DEG. 08 MIN. 53 SEC. E A DISTANCE OF 935.91 FEET TO A POINT,  
THENCE S 33 DEG. 18 MIN. 59 SEC. E A DISTANCE OF 1027.84 FEET TO A POINT,  
THENCE S 33 DEG. 50 MIN. 03 SEC. E A DISTANCE OF 840.32 FEET TO A POINT,  
THENCE S 33 DEG. 45 MIN. 27 SEC. E A DISTANCE OF 1002.43 FEET TO A POINT,  
THENCE S 36 DEG. 43 MIN. 07 SEC. E A DISTANCE OF 878.70 FEET TO A POINT,  
THENCE S 37 DEG. 44 MIN. 39 SEC. E A DISTANCE OF 970.41 FEET TO A POINT,  
THENCE S 53 DEG. 54 MIN. 21 SEC. W A DISTANCE OF 86.10 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE CCCL AND BEING THE POINT OF TERMINUS OF THE HEREIN  
DESCRIBED GENERAL PERMIT LINE (NORTH SEGMENT).

SOUTH SEGMENT

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA  
DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 79-78-A17  
AND RUN THENCE N 29 DEG. 23 MIN. 07 SEC. E A DISTANCE OF 350.74 FEET TO A POINT LOCATED ON THE  
ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 29 DEG. 19 MIN. 06 SEC. E A DISTANCE OF  
1102.33 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED  
GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:

THENCE N 60 DEG. 24 MIN. 06 SEC. E A DISTANCE OF 70.18 FEET TO A POINT,  
THENCE S 29 DEG. 17 MIN. 41 SEC. E A DISTANCE OF 697.93 FEET TO A POINT,  
THENCE S 30 DEG. 31 MIN. 39 SEC. E A DISTANCE OF 900.14 FEET TO A POINT,  
THENCE S 29 DEG. 13 MIN. 19 SEC. E A DISTANCE OF 980.44 FEET TO A POINT,  
THENCE S 31 DEG. 08 MIN. 36 SEC. E A DISTANCE OF 962.78 FEET TO A POINT,  
THENCE S 30 DEG. 57 MIN. 13 SEC. E A DISTANCE OF 889.94 FEET TO A POINT,  
THENCE S 30 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 990.55 FEET TO A POINT,  
THENCE S 30 DEG. 02 MIN. 28 SEC. E A DISTANCE OF 536.50 FEET TO A POINT,

THENCE S 30 DEG. 03 MIN. 37 SEC. E A DISTANCE OF 1281.75 FEET TO A POINT,  
THENCE S 30 DEG. 49 MIN. 16 SEC. E A DISTANCE OF 944.31 FEET TO A POINT,  
THENCE S 31 DEG. 37 MIN. 44 SEC. E A DISTANCE OF 979.80 FEET TO A POINT,  
THENCE N 58 DEG. 20 MIN. 31 SEC. E A DISTANCE OF 14.15 FEET TO A POINT,  
THENCE S 31 DEG. 51 MIN. 04 SEC. E A DISTANCE OF 777.37 FEET TO A POINT,  
THENCE S 31 DEG. 30 MIN. 21 SEC. E A DISTANCE OF 993.30 FEET TO A POINT,  
THENCE S 28 DEG. 36 MIN. 12 SEC. E A DISTANCE OF 934.82 FEET TO A POINT,  
THENCE S 31 DEG. 45 MIN. 28 SEC. E A DISTANCE OF 946.20 FEET TO A POINT,  
THENCE S 31 DEG. 44 MIN. 06 SEC. E A DISTANCE OF 942.61 FEET TO A POINT,  
THENCE S 31 DEG. 19 MIN. 36 SEC. E A DISTANCE OF 998.47 FEET TO A POINT,  
THENCE S 31 DEG. 20 MIN. 53 SEC. E A DISTANCE OF 976.11 FEET TO A POINT,  
THENCE S 31 DEG. 02 MIN. 25 SEC. E A DISTANCE OF 956.83 FEET TO A POINT,  
THENCE S 36 DEG. 20 MIN. 53 SEC. E A DISTANCE OF 351.60 FEET TO A POINT,  
THENCE S 32 DEG. 12 MIN. 31 SEC. E A DISTANCE OF 668.77 FEET TO A POINT,  
THENCE S 30 DEG. 29 MIN. 32 SEC. E A DISTANCE OF 847.84 FEET TO A POINT,  
THENCE S 30 DEG. 29 MIN. 32 SEC. E A DISTANCE OF 957.18 FEET TO A POINT,  
THENCE S 32 DEG. 48 MIN. 27 SEC. E A DISTANCE OF 948.09 FEET TO A POINT,  
THENCE S 31 DEG. 35 MIN. 42 SEC. E A DISTANCE OF 959.47 FEET TO A POINT,  
THENCE S 32 DEG. 25 MIN. 06 SEC. E A DISTANCE OF 772.17 FEET TO A POINT,  
THENCE S 58 DEG. 43 MIN. 52 SEC. W A DISTANCE OF 118.89 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE POINT OF TERMINUS OF  
THE HEREIN DESCRIBED GENERAL PERMIT LINE (SOUTH SEGMENT).

*Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), and (22), 161.054 FS. History– New 11-21-05.*